



# DB 120S 6m K280E H4b W5 B

surface mounted on asphalt

**K733046A**


## PRODUCT DATA SHEET

Performance class	H4b W5 B
Working width	1,6 m
Vehicle intrusion	VI6 (2,0 m)
Dynamic deflection	0,9 m
Tested system length	102 m
EC Certification report	29314

System series	DB 120 Series
Tension bar	K280E
Design	Generation 2

Element length	6 m
System height	120 cm
System width	67 cm
Element weight/length	5.000 kg / 6 m

Mode of operation	double sided
Mode of installation	surface mounted on asphalt
Additional features	with DB Mesh
Terminal anchoring	yes
Installation drawing	K733046-EN





# DB 120S 4m K220

## H2 W5 B

surface mounted on asphalt

**K653767A**


### PRODUCT DATA SHEET

Performance class	H2 W5 B
Working width	1,7 m
Vehicle intrusion	VI4 (1,3 m)
Dynamic deflection	1,1 m
Tested system length	56 m
EC Certification report	62624

System series	DB 120 Series
Tension bar	K220
Design	Generation 1

Element length	4 m
System height	120 cm
System width	67 cm
Element weight/length	3.280 kg/4 m

Mode of operation	double sided
Mode of installation	surface mounted on asphalt
Additional features	-
Terminal anchoring	yes
Installation drawing	K653767-EN



# THE NEW DB 120 SERIES PROTECTS WITH MODULAR SAFETY

The holistic H4b safety concept  
for the median, roadside & bridge.



**KIRCHDORFER**  
ROAD & TRAFFIC



**DELTA BLOC INTERNATIONAL GmbH**

Industriestrasse 28  
2601 Sollenau, Austria  
office@deltabloc.com  
+43 57715 / 470 - 0  
www.deltabloc.com